

## **Test Report**

台灣化學纖維股份有限公司 FORMOSA CHEMICALS & FIBRE CORPORATION 台北市敦化北路201號 201, TUNG HWA N. ROAD, TAIPEI, TAIWAN, R. O. C.

頁數(Page): 1 of 9

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

台灣化學纖維股份有限公司 (FORMOSA CHEMICALS & FIBRE CORPORATION) 送樣廠商(Sample Submitted By)

號碼(No.): CE/2016/35472A 日期(Date): 2016/03/23

: POLYCARBONATE (聚碳酸酯樹脂) 樣品名稱(Sample Description) 樣品型號(Style/Item No.) TAIRILITE AC3600, AC3610

收件日期(Sample Receiving Date) 2016/03/17

測試期間(Testing Period) 2016/03/17 TO 2016/03/23

\_\_\_\_\_

#### 測試需求(Test Requested):

- (1) 依據客戶指定,參考ROHS 2011/65/EU Annex II及其修訂指令(EU) 2015/863測試鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯 醚, DBP, BBP, DEHP, DIBP. (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, DEHP, DIBP contents in the submitted sample.)
- (2) 依據客戶指定,進行鹵素-氯、溴、碘測試. (As specified by client, to test Halogen-Chlorine, Bromine, Iodine contents in the submitted sample.)

測試結果(Test Results) 請見下一頁 (Please refer to next pages). 結論(Conclusion)

(1) 根據客戶所提供的樣品,其編、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚, DBP, BBP, DEHP, DIBP的測試結果符合RoHS指令暨 (EU) 2015/863之限值要求. (Based on the performed tests on submitted samples, the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS and amending Directive (EU) 2015/863.)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.7ferms



# **Test Report**

號碼(No.): CE/2016/35472A 日期(Date): 2016/03/23 頁數(Page): 2 of 9

台灣化學纖維股份有限公司 FORMOSA CHEMICALS & FIBRE CORPORATION 台北市敦化北路201號 201, TUNG HWA N. ROAD, TAIPEI, TAIWAN, R. O. C.

#### 測試結果(Test Results)

測試部位(PART NAME)No.1 : 白色塑膠粒 (WHITE PLASTIC PELLETS)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
鏋 / Cadmium (Cd)	mg/kg	参考IEC 62321-5 (2013), 以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.	100
鉛 / Lead (Pb)	mg/kg	参考IEC 62321-5 (2013), 以感應耦合 電漿原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4 (2013), 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.	1000
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321 (2008), 以UV-VIS檢測. / With reference to IEC 62321 (2008) and performed by UV-VIS.	2	n. d.	1000
多溴聯苯總和 / Sum of PBBs	mg/kg	- 参考IEC 62321-6 (2015),以氣相層析/- 質譜儀檢測./ With reference to IEC -62321-6 (2015) and performed by -GC/MS.	-	n. d.	1000
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.	-
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.	-
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.	_
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n. d.	-
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n.d.	_
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n. d.	_
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n.d.	-
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.	-
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.	-
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.	_



# **Test Report**

號碼(No.): CE/2016/35472A 日期(Date): 2016/03/23 頁數(Page): 3 of 9

台灣化學纖維股份有限公司 FORMOSA CHEMICALS & FIBRE CORPORATION 台北市敦化北路201號 201, TUNG HWA N. ROAD, TAIPEI, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n. d.	1000
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg	   參考IEC 62321-6 (2015), 以氣相層析/	5	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	参考IEC 62321-6 (2015),以氣相層析/   質譜儀檢測./ With reference to IEC   62321-6 (2015) and performed by   GC/MS.	5	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n.d.	_
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg	GC/ MS.	5	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n.d.	-
鄰苯二甲酸丁苯甲酯 / BBP (Butyl Benzyl phthalate) (CAS No.: 85-68-7)	mg/kg	参考IEC 62321-8/CD (2013),以氣相層析儀/質譜儀檢測. / With reference to IEC 62321-8/CD (2013). Analysis was performed by GC/MS.	50	n. d.	1000
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	mg/kg		50	n. d.	1000
鄰苯二甲酸二異丁酯 / DIBP (Di-isobutyl phthalate) (CAS No.: 84-69-5)	mg/kg		50	n. d.	1000
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	mg/kg		50	n. d.	1000
鹵素(氯)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg	參考BS EN 14582 (2007), 以離子層析 儀分析. / With reference to BS EN 14582 (2007). Analysis was performed by IC.	50	n. d.	-
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	參考BS EN 14582 (2007), 以離子層析 儀分析. / With reference to BS EN 14582 (2007). Analysis was performed by IC.	50	n. d.	-



**Test Report** 

號碼(No.): CE/2016/35472A 日期(Date): 2016/03/23 頁數(Page): 4 of 9

台灣化學纖維股份有限公司 FORMOSA CHEMICALS & FIBRE CORPORATION 台北市敦化北路201號 201, TUNG HWA N. ROAD, TAIPEI, TAIWAN, R. O. C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1	限值 (Limit)
鹵素(碘)/ Halogen-Iodine(I)(CAS No.: 14362-44-8)		参考BS EN 14582 (2007),以離子層析 儀分析. / With reference to BS EN 14582 (2007). Analysis was performed by IC.	50	n. d.	-

#### 備註(Note):

- 1. mg/kg = ppm; 0. 1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)



## **Test Report**

號碼(No.): CE/2016/35472A 日期(Date): 2016/03/23

頁數(Page): 5 of 9

台灣化學纖維股份有限公司

FORMOSA CHEMICALS & FIBRE CORPORATION


台北市敦化北路201號

201, TUNG HWA N. ROAD, TAIPEI, TAIWAN, R. O. C.

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. (  $Cr^{6+}$  test method excluded )

- 測試人員:楊登偉 / Technician : Climbgreat Yang
- 測試負責人:張啟興 / Supervisor: Troy Chang



#### Note\*\* (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95°C
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



# **Test Report**

台灣化學纖維股份有限公司 FORMOSA CHEMICALS & FIBRE CORPORATION 台北市敦化北路201號 201, TUNG HWA N. ROAD, TAIPEI, TAIWAN, R. O. C.



頁數(Page): 6 of 9

#### 鹵素分析流程圖 / Analytical flow chart - Halogen

測試人員: 陳恩臻 / Technician: Rita Chen 測試負責人:張啟興 / Supervisor: Troy Chang

號碼(No.): CE/2016/35472A 日期(Date): 2016/03/23

樣品前處理/分樣 / Sample pretreatment/separation 秤重及將樣品放入樣品槽中/ Weighting and putting sample in cell 燃燒彈/吸收 Oxygen Bomb Combustion / Absorption 稀釋至固定體積 / Dilution to fixed volume 離子層析儀分析 / Analysis was performed by IC



## **Test Report**


台灣化學纖維股份有限公司 FORMOSA CHEMICALS & FIBRE CORPORATION 台北市敦化北路201號 201, TUNG HWA N. ROAD, TAIPEI, TAIWAN, R. O. C. 頁數(Page): 7 of 9

#### 可塑劑分析流程圖 / Analytical flow chart - Phthalate

- 測試人員:徐毓明 / Technician: Andy Shu
- 測試負責人:張啟興 / Supervisor nt: Troy Chang

號碼(No.): CE/2016/35472A 日期(Date): 2016/03/23

#### 【測試方法/Test method: IEC 62321-8】





# **Test Report**

台灣化學纖維股份有限公司 FORMOSA CHEMICALS & FIBRE CORPORATION 台北市敦化北路201號 201, TUNG HWA N. ROAD, TAIPEI, TAIWAN, R. O. C.




頁數(Page): 8 of 9

#### 多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE

號碼(No.): CE/2016/35472A 日期(Date): 2016/03/23

測試人員:翁賜彬 / Technician: Roman Wong 測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process ■ 確認程序 / Confirmation process \_ . \_ . ▶





## **Test Report**

台灣化學纖維股份有限公司 FORMOSA CHEMICALS & FIBRE CORPORATION 台北市敦化北路201號 201, TUNG HWA N. ROAD, TAIPEI, TAIWAN, R. O. C. 頁數(Page): 9 of 9

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

號碼(No.): CE/2016/35472A 日期(Date): 2016/03/23

# CE/2016/35472



\*\* 報告結尾 (End of Report) \*\*